

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
13 May 2004 (13.05.2004)

PCT

(10) International Publication Number
WO 2004/039872 A1

(51) International Patent Classification⁷: **C08J 3/22**

Stefano [IT/IT]; Via Monte Bianco, 8, I-20052 Monza (IT). PUPPI, Cristiano [IT/IT]; Via Bellini, 24, I-22070 Guanzate (IT).

(21) International Application Number:
PCT/EP2002/012159

(74) Agents: **BOTTERO**, Carlo et al.; Pirelli S.p.A., Viale Sarca, 222, I-20126 Milano (IT).

(22) International Filing Date: 31 October 2002 (31.10.2002)

(25) Filing Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(26) Publication Language: English

(71) Applicant (*for all designated States except US*): **PIRELLI PNEUMATICI S.P.A.** [IT/IT]; Viale Sarca, 222, I-20126 Milano (IT).


(72) Inventors; and

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,

(75) Inventors/Applicants (*for US only*): **GALIMBERTI**, Maurizio [IT/IT]; Via Pannonia, 6, I-20133 Milano (IT). **CAPRIO**, Michela [IT/IT]; Via dei Due Principati - 1a Traversa, 18, I-83100 Avellino (IT). **TESTI**,

[Continued on next page]

(54) Title: METHOD FOR PREPARING A CROSSLINKABLE ELASTOMERIC COMPOSITION



(57) Abstract: Method for producing a crosslinkable elastomeric composition comprising: a) at least one thermoplastic polymer selected from amorphous polymers having a glass transition temperature (T_g) higher than 80 °C or crystalline polymers having a melting temperature (T_m) higher than 190 °C; b) at least one diene elastomeric polymer; said method comprising the following steps: pre-mixing said at least thermoplastic polymer (a) with a portion of said diene elastomeric polymer (b) to obtain a masterbatch; said pre-mixing step being carried out at a temperature not lower than T_g or not lower than ($T_m - 20$ °C); mixing the masterbatch obtained in said pre-mixing step (1) to the remaining portion of said diene elastomeric polymer (b).



TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*